



IOTA 330

cut and strip



komax

IOTA 330

As an all-round solution in the cutting machine segment, the Iota 330 has universal scope for application. The unit is designed to cut a wide variety of coiled materials to an exact length (up to 1,000 m), such as heat-shrink tubing, pneumatic hoses, cables, plastic bands and much more. The Iota 330 does the job carefully and reliably while guaranteeing user-friendly operation.

FOR PRECISE CUTS AT ALL TIMES



Simple and intuitive

- intuitive user convenience
- five hard keys with key functions combined with touch panel

Universal and quick

- for various materials
- for various diameters of up to max. 25 mm
- for widths of up to 82 mm
- for wire cross sections up to 35 mm²
- for high production rates thanks to parallel processing with one to four lanes

Careful and precise

- belt drive with multiple supports
- closing distance to the diameter of the material can be manually set
- adjustable applied pressure



01



02



03



04

01

One-lane feeder

02

Horizontal cable ejection channel for long cutting material

03

Four-lane feeder

04

Sloping cable ejection channel for short cutting material

Robust, careful processing

The belt drive with multiple supports guides the material to be cut through to the cutting blade and guarantees precise positioning. The applied pressure and closing distance of the belt drive can be adjusted according to the situation at hand.

The Iota 330 meets all requirements expected of a reliable, robust all-purpose cutting machine. It provides excellent performance, power and quality. The compact size keeps space requirements low and enables it to be transported with ease. Maximum production output is achieved thanks to the unit's four-lane parallel processing capability.

Smart handling

The Iota 330 is ready for use after pressing the 'Power On' button. The material to be cut is clamped in place according to the closing distance and applied pressure settings of the belt drive. The product length, number of pieces and batch size can be set via the touchscreen. The desired end product can be verified using the sample function, and the machine can then be started. Five buttons serving as hard keys for the most common operations, along with the touch display, enable simple handling and quick changeover for a wide range of materials without the use of any tools.



05

05

The five hard keys from top to bottom:
Open and close belt drive
Manual feeder
Zero-cut
Start production
Stop production



Technical data

Length range	1 – 1,000,000 mm
Length accuracy	+/- (1 mm + 0.2% x L)
Cable cross-section	0.14 – 35 mm ² (braid), AWG 26 – 2
Maximum admission height	16 (0.63 in.) – 25 mm (0.98 in.) in the center of the belt drive
Maximum admission width	82 mm (3.2 in.)
Batch size	1 – 99,999 pieces
Noise level	< 70 dB
Electrical connections	100 – 240 V AC/5A, 50/60 Hz, 320 VA
Compressed air connection	6 bar
Dimensions (W x H x D)	385 x 510 x 525 mm (16 x 20 x 21 in.)
Weight	37.3 kg (82 lbs.)
Interfaces	2 x I/O, encoder output, Ethernet

Options and accessories

Various cutting blades

Prefeeder, ads 112, ads 115, ads 119, F1150

Production table

Separation track for parallel processing

Possible prefeeder



All-round unit with attractive design

The Lota 330 is the ideal cutting tool thanks to maximum flexibility, processing reliability and precision. Prefeeder can be easily integrated. The Lota 330 provides an external encoder output along with two I/O and an Ethernet connection to serve as interfaces. This robust and powerful cutting unit can deliver precise cuts for wire cross sections of up to 35 mm² (AWG 2).

The Lota 330 boasts an impressive design and ergonomic values. The emphasis on clear lines makes it instantly recognizable as a product developed by market leader Komax.

Processing examples



Komax – leading the field now and in the future

As a pioneer and market leader in automated wire processing, Komax provides its customers with innovative solutions. Komax manufactures series and customer-specific machinery, catering to every degree of automation and customization. Its range of quality tools, test systems, and intelligent software and networking solutions complete the portfolio, and ensure safe, flexible, and efficient production.

Komax is a globally active Swiss company with highly qualified employees and development and production facilities on several continents. It provides local support to customers worldwide through its unique sales and service network and offers services that help them get the most out of their investments.

Komax AG
Industriestrasse 6
6036 Dierikon, Switzerland
Phone +41 41 455 04 55
sales.din@komaxgroup.com

komax
komaxgroup.com